AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application: **Listing of Claims:** (Canceled). 1. Claims 2-5. (Canceled) 6. (Currently Amended) The organic electroluminescent device of claim 1 An organic electroluminescent device, comprising: a substrate; a first and second electrodes formed on the substrate; a light-emitting layer formed between the first electrode and the second electrode; and a hole-blocking layer formed between the light-emitting layer and the second

[Chemical formula 1]

electrode and using a material of a chemical formula 1.

$$A_1 - - - A_2$$

Wherein, at least one of A1 and A2 is selected from a substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl, and halogen groups, wherein a substitute of the A1 and A2 is at least one selected from aryl, alkyl, aryloxy, alkoxy, hydroxyl, halogen and cyano group, wherein a substitute of the A1 and A2 is at least one selected from phenyl, biphenyl, triphenyl, phenylethenyl, diphenylethenyl, phenylethynyl, phenoxy, tolyoxy, vinyl, methyl, ethyl, propyl, isopropyl, t-butyl, cyclohexyl, morpholinyl, methoxy, ethoxy, propoxy, butoxy, dimethylamino, fluorine and chlorine group., wherein at least one of the A1 and A2 is one of the following chemical formulas 2.

7.

and

(Currently Amended) The organic electroluminescent device of claim 1 An organic

- electroluminescent device, comprising:

 ______a substrate;
 _____a first and second electrodes formed on the substrate;
 _____a light-emitting layer formed between the first electrode and the second electrode;
- a hole-blocking layer formed between the light-emitting layer and the second electrode and using a material of a chemical formula 1.

[Chemical formula 1]

$$A_1$$
 A_2

Wherein, at least one of A1 and A2 is selected from a substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, , wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl,

and halogen groups, wherein a substitute of the A1 and A2 is at least one selected from aryl, alkyl, aryloxy, alkoxy, hydroxyl, halogen and cyano group, wherein a substitute of the A1 and A2 is at least one selected from phenyl, biphenyl, triphenyl, phenylethenyl, diphenylethenyl, phenylethynyl, phenoxy, tolyoxy, vinyl, methyl, ethyl, propyl, isopropyl, t-butyl, cyclohexyl, morpholinyl, methoxy, ethoxy, propoxy, butoxy, dimethylamino, fluorine and chlorine group., wherein a material of the hole-blocking layer is one of the following chemical formulas 3.

Amendment dated September 25, 2007 Reply to Office Action of June 25, 2007

- 8. (Canceled).
- 9. (Currently Amended) The organic electroluminescent device of claim 8 An organic electroluminescent device, comprising:

<u>a substrate;</u>

a first and second electrodes formed on the substrate;

a light-emitting layer formed between the first electrode and the second electrode;

and

a hole-blocking layer formed between the light-emitting layer and the second electrode and using a material of a chemical formula 1.

[Chemical formula 1]

$$A_1$$
 A_2

Wherein, at least one of A1 and A2 is selected from a non-substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl, and halogen groups., wherein at least one of the A1 and A2 is one of the following chemical formulas [[5]]2.

10. (Currently Amended) The organic electroluminescent device of claim 8. An organic electroluminescent device, comprising:

a substrate;

a first and second electrodes formed on the substrate;

a light-emitting layer formed between the first electrode and the second electrode;

and

a hole-blocking layer formed between the light-emitting layer and the second electrode and using a material of a chemical formula 1.


[Chemical formula 1]

$$A_1$$
 A_2

Serial No. 10/779,875 Amendment dated September 25, 2007 Docket No. **K-0611**

Reply to Office Action of June 25, 2007

Wherein, at least one of A1 and A2 is selected from a non-substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl, and halogen groups., wherein a material of the hole-blocking layer is one of the following chemical formulas [[6]]3.




B-13	F	N	
B-15	NC-	B-16	
B-17		F	
°В-19	├	O-CN B-20	_
B-21	F——	B-22	

Serial No. 10/779,875 Amendment dated September 25, 2007 Docket No. K-0611

Reply to Office Action of June 25, 2007

Reply to Office Action of June 25, 2007



- 11. (Canceled).
- 12. (Currently Amended) The organic electroluminescent device of claim 1 An organic electroluminescent device, comprising:

a substrate;

a first and second electrodes formed on the substrate;

a light-emitting layer formed between the first electrode and the second electrode;

and

a hole-blocking layer formed between the light-emitting layer and the second electrode and using a material of a chemical formula 1.

[Chemical formula 1]

Serial No. 10/779,875 Amendment dated September 25, 2007

Reply to Office Action of June 25, 2007

$$A_1$$
 A_2

Wherein, at least one of A1 and A2 is selected from a substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl, and halogen groups, wherein a substitute of the A1 and A2 is at least one selected from aryl, alkyl, aryloxy, alkoxy, hydroxyl, halogen and cyano group, wherein a substitute of the A1 and A2 is at least one selected from phenyl, biphenyl, triphenyl, phenylethenyl, diphenylethenyl, phenylethynyl, phenoxy, tolyoxy, vinyl, methyl, ethyl, propyl, isopropyl, t-butyl, cyclohexyl, diphenylamino, morpholinyl, methoxy, ethoxy, propoxy, butoxy, dimethylamino, fluorine and chlorine group, wherein the diphenylamino group does not include a carbazolyl group, wherein at least one of the A1 and A2 is one of the following chemical formulas [[8]]2.

Docket No. K-0611

Serial No. 10/779,875

Amendment dated September 25, 2007

Reply to Office Action of June 25, 2007



Docket No. K-0611

(Currently Amended) The organic electroluminescent device of claim 111 An 13. organic electroluminescent device, comprising:

a substrate;

- a first and second electrodes formed on the substrate;
- a light-emitting layer formed between the first electrode and the second electrode;

and

a hole-blocking layer formed between the light-emitting layer and the second electrode and using a material of a chemical formula 1.


[Chemical formula 1]


Docket No. K-0611


Serial No. 10/779,875 Amendment dated September 25, 2007 Reply to Office Action of June 25, 2007

$$A_1$$
 A_2

Wherein, at least one of A1 and A2 is selected from a substituted aromatic group, a heterocyclic group, an aliphatic group, and halogen, wherein structures of A1 and A2 are the same or different from each other, wherein at least one of A1 and A2 is selected from phenyl, biphenyl, pyridyl, naphthyl, quinolyl, isoquinolyl, fluorenyl, terphenyl, ethyl, propyl, isopropyl, and halogen groups, wherein a substitute of the A1 and A2 is at least one selected from aryl, alkyl, aryloxy, alkoxy, hydroxyl, halogen and cyano group, wherein a substitute of the A1 and A2 is at least one selected from phenyl, biphenyl, triphenyl, phenylethenyl, diphenylethenyl, phenylethynyl, phenoxy, tolyoxy, vinyl, methyl, ethyl, propyl, isopropyl, t-butyl, cyclohexyl, diphenylamino, morpholinyl, methoxy, ethoxy, propoxy, butoxy, dimethylamino, fluorine and chlorine group, wherein the diphenylamino group does not include a carbazolyl group, wherein a material of the hole-blocking layer is one of the following chemical formulas [[9]]3.








Serial No. 10/779,875

Docket No. K-0611 Amendment dated September 25, 2007

Reply to Office Action of June 25, 2007



B-13	F	N
B-15	NC —	B-16
B-17		F—————————————————————————————————————
B-19	├	O—————————————————————————————————————
B-21	F—————————————————————————————————————	B-22

-28